## LAND RECLAMATION COMMISSION

### STATE OF MISSOURI

P.O. BOX 176 JEFFERSON CITY, MISSOURI 65102 573-751-4041

				it To Engag		face Mining		
		uant to "The L	and Reclam plication, a p	NC. – MEMI ation Act," RS permit is hereb	Mo, 2001, y granted t			
	Pro	posed mining	operation(s)	will be on	876	acres, more	or less.	
County	Section	The location Township	ons of the op Range	Acres Renewed	ler this pen Acres New	nit is/are as foll  Total Acres	ows: Renewal Site/Stream Name	Site Number
Ste. Genevieve	13,14,23,24,26	39N	07E	876	0	876	Bloomsdale	0679
IN WIT	TI NESS WHEREOF 0718	forth in "The as are pro	Land Reclar omulgated p	mation Act," F ursuant thereto	RSMo. 200 by the La	I, or in such rule and Reclamation lay of June DIR	of the conditions set es and regulations Commission.  aly 2004  ECTOR OF STAFF eclamation Commission	

Effective Date

MO 780-1122 (6-95)

**Expiration Date** 

07/16/2004

07/15/2005

	MISSOURI DEPARTMENT CT NATURAL RESOURCES
	LAND RECLAMATION COMSION
48	MISSOURI DEPARTMENT CT NATURAL RESOURCES LAND RECLAMATION COMSION PERMIT RENEWAL FOR INDUSTRIAL MINE



4 PERMIT RENEWAL FOR	INDUSTRIAL MINERAL MINES	P.O. BOX 176 JEFFERSON CITY, MO 65102-0176
NAME OF CORPORATION, COMPANY, PARTNERSHIP OR INDI	DATE	
ADDRESS	NEMBHIS DIVISION - BRICKEY'S QRY	5TATE   ZIP CODE
13588 BRICKEY'S ROAD	BLOOMSDALE	Mo. 63627
CONTACT PERSON RONALD NETEMEYER		TELEPHONE NUMBER
FEES: COMPLETE SECTION I OR SECTION		(573) 483 3475
SECTION I. Fees: Open pit operators and	those mining more than 5,000 tons of sand and/or grav	el:
1. To compute the site fee complete the in	nformation below:	
SITE NAME OR NUMBER	Mark each month that the site will be operated during	For sites operated less than six months pe
(add a separate sheet for additional sites)	the permit year	permit year pay \$150 For sites operated six months or more pe
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Jan. Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov. Dec	permit year pay \$300
1. NAME - BLOOMSDALE	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	300,00
2. NUMBER - 0679 3.		
	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	
4.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	
5.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	
6.	Jan. Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	
7.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
8.	Jan. Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov. Dec	\$
9.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
10.	Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec	\$
TOTAL SITE FEE		\$ 300.00
2. Acreage Fee \$5 X 8 76 number o	f acres bonded	\$ 300.00
		4,380,00
3. Annual Permit Fee		\$ 500 500, 00
4. Total Fee (Add totals from 1, 2 and 3)		\$ 5,180,00
NOTE: If Total Fee exceeds \$2,500.00 the	\$ 2,500 \$ 2,500,00	
SECTION II. FEES: Sand or gravel operator		
1. Annual Permit Fee		\$ 300
SIGNATURE OF APPLICANT	TITLE	DATE
Ronald I relomen	er QUALITY CONTROL P.E	6-2-04
Appeared before me this	June , 20 OH, RONALD L	. NETEMEYER
to me personally known, who executed the ab	pove as their free acts and deeds. Mo. DR. LICE	BUSE
	SOUR/	Y OF ST. LOUIS)
SUBSCRIBED AND S	SWORN BEFORE ME, THIS	<u>.</u>
NOTARY PUBLIC SIG	USE RUBBE	R STAMP IN CLEAR AREA BELOW.
11.	EXPIRES	
NOTARY PUBLIC NA	M-Kella 11.9.2004	ONNA M. KERTZ
DONNA	m. KERTZ NOT	ARY PUBLIC - NOTARY SEAL STATE OF MISSOURI
FOR DEPARTMENT USE ONLY SPAROVED BY	PERMIT NUMBER CO	UNTEX OF ATENT BATE ENEVIEVE Commission Expires: NOV. 9, 2004
NO 780-1780 (12-02)	DELLE / DECEMBER 1	
	JUN 1 8 2004	7.15.05

## **RECEIVED**



APR 1 7 2003

MISSOURI LAND JEFFERSON CITY, MO 65102-0176 RECLAMATION COMMISSION Complete this form for each separate area of disturbance associated with mining operations. SITE NAME OR NUMBER PERMIT NUMBER 0718 0679 APAC Tenn. Inc. - Brickey's Quarry COMPANY APAC Tennessee Inc. COUNTY 1/4 SECTION SECTION 13, 14, 23, 24, & 26 St. Genevieve TOWNSHIP RANGE ACRES R-7-E 876 Acres T-39-N RIVER OR STREAM NAME (FOR IN-STREAM ACRES) MINERAL COMMODITY ESTIMATED TONS/YEAR (GRAVEL SITES) Limestone 2.6 Million Tons NAME OF LANDOWNER (ATTACH LIST IF MORE THAN ONE) Menefee FAMILY LTD. PARTHERSHIP ADDRESS P. O. Box 2287 CITY STATE ZIP CODE 37202 Nashville Tennessee SOURCE OF RIGHT TO MINE (CHECK ONE): DATE OF AGREEMENT MINERAL DEED LEASE June 24, 1996 ☐ VERBAL WARRANTY DEED OTHER (DESCRIBE): MINERAL RIGHTS OWNER (ATTACH LIST IF MORE THAN ONE) **ADDRESS** CITY STATE ZIP CODE SOURCE OF RIGHT TO MINE (CHECK ONE): DATE OF AGREEMENT LEASE MINERAL DEED ☐ WARRANTY DEED ☐ VERBAL OTHER (DESCRIBE): NOTE: Each site must be shown on a map and be included in a public notice and an approved mine plan. MO 780-1036 (5-02)





P.O. BOX 176 JEFFERSON CITY, MO 65102-0176

COMPANY NAME		ON COMMISSI	ON
TYPE OF PLAN (CHECK ONE):			
SHORT TERM, FOR ONE PERMIT YEAR			
🗵 LONG TERM, FOR PERIOD THROUGH DATE: June 24, 2096			
DESCRIPTION OF SITE PRIOR TO LAND RECLAMATION COMMISSION PERMITTING TOPOGRAPHY.	(BY APPLICANT OR PR	IOR OPERATOR),	INCLUDING SOIL, VEGETATION AND
This plan covers approximately 876 acres (See Map 1, Exhibit 1)	. Much of the futu	re mining area	a is steeply sloped and
heavily wooded. The topsoil on the slope area is rocky and thin	(approximately 12	' in depth). Ti	he area north of the
existing E-W stream is within the long-term, 50 year plan.			
OPERATION PLAN - 10 CSR 40-10.020(2)(D)1.  A. TOPSOIL			
AVERAGE DEPTH OF TOPSOIL, PRIOR TO LAND RECLAMATION COMMISSION PERMIT	TING	IS TOPSOIL TO	BE SOLD OR DISCARDED OFFSITE?
Normal 12", Flat areas 12" - 18"	INCHES	YES OR	X NO
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL			
DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL REMOVAL		_	
		Dames	nd tangail will ha
Removal of trees by Commercial Logger. After clearing, stumps		•	·
removed by scrapers and haul trucks. The topsoil will be loaded	d onto the haul true	cks with ruber	tire loaders and
	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale	d onto the haul true	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loader stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.	d onto the haul true Ridge stripping, th	cks with ruber	tire loaders and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT	d onto the haul true Ridge stripping, th	cks with ruber	tire loaders and s will be shaped and
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scra	d onto the haul true Ridge stripping, th	cks with ruber ne topsoil piles	tire loaders and s will be shaped and kpiles will be shaped
removed by scrapers and haul trucks. The topsoil will be loader stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT	d onto the haul true Ridge stripping, th	cks with ruber ne topsoil piles	tire loaders and s will be shaped and kpiles will be shaped
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scra	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loader stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scra and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scraped and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scraped and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scraped and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scraped and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scraped and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loader stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scra and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loader stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scra and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber ne topsoil piles cks. The stock	tire loaders and s will be shaped and kpiles will be shaped eclamation is complete.
removed by scrapers and haul trucks. The topsoil will be loaded stockpiles as shown in Map 2. Upon completion of Bloomsdale seeded at locations shown until reclamation is complete.  DESCRIBE METHODS AND EQUIPMENT USED FOR TOPSOIL STORAGE AND PROTECT Topsoil will be placed at the locations shown on Map 1 via scral and seeded with Lespedeza (Kobe & Koreane), Wheat, Orcha Abatement of surface runoff will be controlled by placement of downstream of each topsoil pile.	d onto the haul true Ridge stripping, the rion apers and haul true ard Grass and Red	cks with ruber the topsoil piles cks. The stock Clover until re riprap ditch ch	kpiles will be shaped eclamation is complete.

B. SPOIL DESCRIBE		AND LOCATION OF SPOIL PLACEMENT AND DISPOSAL
and ha	aul truck	erburden consist of dirt and rock which overlay the clean rock. These will be moved via Front-end loaders s and placed in fill areas. Overburdon rock which has usable size, > 250 lbs. is sold and transported use as bank stabilization.
		RECEIVED
		APR 1 7 2003
ı		MISSOURI LAND ମECLAMATION COMMISSION
C. ACID		
NONI		AND EQUIPMENT USED FOR HANDLING ACID MATERIALS (IF NONE IS ANTICIPATED, WRITE "NONE" BELOW)
1		
D PIT IN	FORMA	TION (GIVE ALL DIMENSIONS IN FEET)
		I AND ORIENTATION OF PIT, IF NOT CLEAR ON SITE MAPS
See A	Attached	Map for details.
Upon minin begin	approving to an aning at	tions are currently being performed on Bloomsdale Ridge from East to West.  al of the expanded permit, stripping will begin on Mamie's Ridge progressing from East to West to allow approximate floor elevation of 400. Future plans include mining the Platin formation to elevation 325 the existing shop and proceeding West beneath the area designated as proposed lake. Phase details are mining sequence.
ļ		<del>-</del>
YES	NO	
×	1	Will any excavation be at or within fifty feet (50') of the right-of-way of any public road?
	X	Will any highwall consisting of unconsolidated materials be left within fifty feet of the right-of-way of any public road?
		(NOTE: For unconsolidated materials left in place, a slope of no more than forty degrees may start near the right-of-way, and in no case may the excavation be closer to the right-of-way than fifty feet or twenty-five feet plus one and one-half (1½) times the depth of unconsolidated material, whichever is greater, unless a variance is granted by the Commission.)
	X	Will any excavation start at or within fifty feet (50') of any property line? (NOTE: If the answer is "YES", a safety barrier may be needed.)
PERMIT NO.		SITE NUMBER/NAME
0718 MO 780-1327	(5-02)	0679 APAC Tenn. Inc Brickey's Quarry
	(- <del>-</del> )	PAGE 2 OF S

\* SEE ATTACHED LETTER FROM ST. GENEVIEVE Co. ANTHORIZING VACATION OF APPROXIMATELY IMILE OF BRICKEY'S ROAD.

		$\smile$	
RECLAMATION PLAN - 10 CSR 40-10.0	)20(2)(D)2.		
A. REVEGETATION (Attach additional sh	neets, if needed)		
REVEGETATION MIX #1	PURPOSE OR LAND USE Wildlife	B. SEEDING OR Spring - 1	PLANTING TIVE March through May
DESCRIBE METHODS AND EQUIPMENT TO BE U	SED FOR SEEDING OR PLANTIN	G	
The area will be tilled by discing, an order to sufficiently control erosion.	nd seeded by drilling or b	proadcasting. Re-seeding will be per	rformed e Cettive D
			APR 1 7 2003
			MISSOURI LAND RECLAMATION COMMISSIO
Lime and fertilizer will be applied accordin to all slopes exceeding 5:1.	g to recommendations base	ed upon soil test analyses from a qualifie	d soils lab. Mulch will be applied
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
1. Lespedeza (Kobe & Koreane)	1. 8 - 10		
2. Wheat	2. 5 - 7		
3. Orchard Grass	3. 10 - 12		
4. Red Clover	4. 10 - 12		
REVEGETATION MIX #2	PURPOSE OR LAND USE	B. SEEDING OR	PLANTING TIME
Lime and fertilizer will be applied accordir to all slopes exceeding 5:1.	ng to recommendations base	ed upon soil test analyses from a qualifie	ed soils lab. Mulch will be applied
SEEDED SPECIES	POUNDS/ACRE	TREE OR SHRUB SPECIES	STEMS/ACRE
ATTACH ADDITIONAL SHEETS FOR AD	DDITIONAL SEED MIXES.		
PERMIT NO. <b>0718</b>		SITE NUMBER/NAME 0679 APAC Tenn. Inc Brickey	
MO 780-1327 (5-02)			PAGE 3 OF

#### B. GRADING

DESCRIBE PROPOSED RECLAIMED TOPOGRAPHY, INCLUDING SLOPES

Upon completion, all areas outside lake will be graded to traversable slopes (3:1 or flatter) and graded to minimize erosion. Areas outside boundry of disturbance will remain as forrest with potential development occurring along the rim of the lake.

RECEIVED

APR 1 7 2003

MISSOURI LAND
RECLAMATION COMMISSION

C.	DESCRIBE THE	GENERAL	SEQUENCE	AND TIMING	OF THE	FOLLOW	NING ACT	NVITIES

GRADING

In accordance with 10 CSR-40-10.050 (10) (A) (C)

REPLACEMENT OF TOPSOIL

In accordance with 10 CSR-40-10.050 (10) (A) (C)

REVEGETATION

In accordance with 10 CSR-40-10.050 (10) (A) (B) (C)

AVERAGE DEPTH OF REPLACED TOPSOIL (INCHES)		
D. USE OF LAND WHEN RECLAIMED  Estimate acreage of each land use below, after reclamation		ESTIMATED ACRES:
Wildlife (forest or other habitat with livestock excluded)		534
Agricultural (pasture, cropland, and horticultural)		0
Development (residential, industrial, and recreational)		100
Water impoundments (for wildlife, agriculture, or development	nt)	242
релип NO. 0718	SITE NUMBER/NAME 0679 APAC Tenn. Inc.	- Brickey's Quarry
AO 780-1327 (5-02)		PAGE 4

# RECEIVED

RECEIVED

FEB 1 0 2003

By my signature, I attest to the following:

MISSOURI LAND RECLAMATION COMMISSION RECLAMATION COMM

MISSOURI LAND

- 1. All statements made on this Mine Plan Form are correct, complete and true, to the best of my knowledge.
- 2. I or the company I am authorized to represent intend(s) to mine in accordance with this Mine Plan Form, and in accordance with the Missouri Land Reclamation Act, Sections 444.760 through 444.790, RSMo 2001, and all rules, regulations, orders, decisions and permits of the Missouri Land Reclamation Commission pertaining to my company's surface mining operations.
- 3. I have obtained the approval of all landowner's (for all lease agreements made after August 28, 1990 on leased land) for all proposed post-mining land uses.
- 4. I have obtained the approval of all landowner's, (for all lease agreements made after August 28, 1990 on leased land) for all proposed seed mixtures.
- 5. I have a valid agreement with all landowners which gives me the right to grant access to the Director of the Missouri Land Reclamation Commission and authorized representatives, and I grant such access, and further where I have no such right, I have attached signed affidavits from the landowners, granting such access.

SIGNATURE OF APPLICANT	Horn	VICE - POESI	DATE 2- 7-03
NOTARY NOUNADD	SUBSCRIBED AND SWORN BEFORE ME, THIS  74 DAY OF FEBRUARY NOTARY PUBLIC SIGNATURE	YEAR Z O O'S	COUNTY (OR CITY OF ST. LOUIS)  SHELBY  USE RUBBER STAMP IN CLEAR AREA BELOW.
NOTABLED 29-200 COUNTINUED COUNTINUED FOR DEPARTMENT USE ONL	NOTARY PUBLIC NAME (TYPED OR PRINTED)  TERRY HAR	3/29/2005 RIS	
<del></del>	.Y		
APPROVED/BY	_	6/25/03	6718A1
PERMIT NO. 18		SITE NUMBER/NAME 6679 / Bla	oons dale
MO 780-1327 (5-02)			PAGE 5 OF 5

' HOURS 8:30 A.M. - 12:00 NOON MONDAYS & THURSDAYS

> PHONE # 1-573-883-7202 ROOM #1

LINDA L. HERMANN
District #1 Commissioner



STE. GENEVIEVE COUNTY Ste. Genevieve, Missouri 63670

> DENNIS "TOUPIE" HUCK Presiding Commissioner



RAY H. GETTINGER
District #2 Commissioner

#### **VACATING PORTION OF BRICKEY'S ROAD**

On this 4<sup>th</sup> day of February, 2002, The Ste. Genevieve County Commission hereby Orders the Vacation of Approximately one (1) mile of Brickey's Road having been officially petitioned and publicly posted on the 9<sup>th</sup> day of October, 2001 (19<sup>th</sup> day of the August term) and the first reading having been publicly read on the 5<sup>th</sup> day of November, 2001 (Regular day of the November term) and the second reading having been publicly read this 4<sup>th</sup> day of February, 2002 (Regular day of the February term).

RECEIVED

MAY 7 2003

MISSOURI LAND
RECLAMATION COMMISSION

Dennis Huck, Presiding Commissioner

Linda L. Hermann, District #1 Commissioner

Ray H. Gettinger, District #2 Commissioner

ATTEST:

Darryle T. Shuh, County Clerk



